

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show 8 Numbers](#)[Edit 8 Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Term	Documents
ELASTOMER DWPI,TDBD,EPAB,JPAB,USPT.	144617
ELASTOMERS DWPI,TDBD,EPAB,JPAB,USPT.	48467
RUBBER DWPI,TDBD,EPAB,JPAB,USPT.	716332
RUBBERS DWPI,TDBD,EPAB,JPAB,USPT.	49477
ELASTIC DWPI,TDBD,EPAB,JPAB,USPT.	551342
ELASTICS DWPI,TDBD,EPAB,JPAB,USPT.	1578
(2 AND (ELASTOMER OR ELASTIC OR RUBBER)) USPT,JPAB,EPAB,DWPI,TDBD	9
((ELASTOMER OR RUBBER OR ELASTIC) AND L2) USPT,JPAB,EPAB,DWPI,TDBD	9

US Pre-Grant Publication Full-Text Database

Database:

Search:

[Refine Search](#)

Recall Text

Clear

**Search History**DATE: Saturday, February 08, 2003 [Printable Copy](#) [Create Case](#)**Set Name Query**

side by side

**Hit Count Set Name**

result set

DB USPT,JPAB,EPAB,DWPI,TDBD; PLUR YES; OP ADJ

L1 matayoshi-tomoya\$ in. or yasaka-naoto\$.in. or nakamura-tetsuya\$.in.

764

L1L2 (ethylene with olefin) and L1

10

L2L3 (elastomer or rubber or elastic) and L2

9

L3

**WEST**[Generate Collection](#)[Print](#)**Search Results - Record(s) 1 through 9 of 9 returned.****1. Document ID: US 6436494 B2**

L3: Entry 1 of 9

File: USPT

Aug 20, 2002

US-PAT-NO: 6436494

DOCUMENT-IDENTIFIER: US 6436494 B2

TITLE: Polypropylene resin composition and non-stretched film thereof

DATE-ISSUED: August 20, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Tanaka; Yasuo	Ichihara			JP
Nakagawa; Norihiko	Ichihara			JP
Yasaka; Naoto	Ichihara			JP

US-CL-CURRENT: 428/34.3; 428/35.2, 428/35.7, 428/523, 525/232, 525/240, 525/88, 525/95, 525/98

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	MMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	-----------	-------

**2. Document ID: US 6403719 B1**

L3: Entry 2 of 9

File: USPT

Jun 11, 2002

US-PAT-NO: 6403719

DOCUMENT-IDENTIFIER: US 6403719 B1

TITLE: Flexible resin composition and uses thereof

DATE-ISSUED: June 11, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Tanaka; Yasuo	Ichihara			JP
Yasaka; Naoto	Ichihara			JP

US-CL-CURRENT: 525/191; 525/240

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	MMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	-----------	-------

**3. Document ID: US 6313227 B1**

L3: Entry 3 of 9

File: USPT

Nov 6, 2001

US-PAT-NO: 6313227

DOCUMENT-IDENTIFIER: US 6313227 B1

TITLE: Propylene-ethylene block copolymer, resin composition, and blow-molded article

DATE-ISSUED: November 6, 2001

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Tanaka, Kenji	Ichihara			JP
Sugita, Yasuhisa	Ichihara			JP
Nakagawa, Masaru	Ichihara			JP
<u>Nakamura, Tetsuya</u>	Ichihara			JP

US-CL-CURRENT: 525/240; 525/116, 526/124.2, 526/124.3, 526/124.5, 526/125.1, 526/351,  
526/352

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	-----------	-------

## 4. Document ID: US 6313226 B1

L3: Entry 4 of 9

File: USPT

Nov 6, 2001

US-PAT-NO: 6313226

DOCUMENT-IDENTIFIER: US 6313226 B1

TITLE: Olefinic resin composition and their moldings

DATE-ISSUED: November 6, 2001

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
<u>Yasaka, Naoto</u>	Ichihara			JP
Sueda, Takamichi	Ichihara			JP

US-CL-CURRENT: 525/240; 428/304.4, 428/513, 524/515, 524/528

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	KMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	-----	-----------	-------

## 5. Document ID: US 6191219 B1

L3: Entry 5 of 9

File: USPT

Feb 20, 2001

US-PAT-NO: 6191219

DOCUMENT-IDENTIFIER: US 6191219 B1

TITLE: Polypropylene resin composition and non-stretched film thereof

DATE-ISSUED: February 20, 2001

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Tanaka, Yasu	Ichihara			JP
Nakagawa, Norihiko	Ichihara			JP
<u>Yasaka, Naoto</u>	Ichihara			JP

US-CL-CURRENT: 525/95; 525/232, 525/240, 525/88, 525/98

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

RVAC	Draw Desc	Image
------	-----------	-------

## 6. Document ID: US 5788297 A

L3: Entry 6 of 9

File: USPT

Aug 4, 1998

US-PAT-NO: 5788297

DOCUMENT-IDENTIFIER: US 5788297 A

TITLE: Resin-made shock absorbing member for a vehicle and method for producing the same

DATE-ISSUED: August 4, 1998

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Sugawara, Minoru	Ichihara			JP
<u>Nakamura, Tetsuya</u>	Ichihara			JP
Tada, Katsuhiko	Ichihara			JP
Takai, Hiroshi	Okazaki			JP
Uenishi, Hiroshi	Toyota			JP
Endou, Yoshihide	Toyota			JP
Fukuda, Ken	Toyota			JP

US-CL-CURRENT: 293/102; 293/154

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

RVAC	Draw Desc	Image
------	-----------	-------

## 7. Document ID: US 5714227 A

L3: Entry 7 of 9

File: USPT

Feb 3, 1998

US-PAT-NO: 5714227

DOCUMENT-IDENTIFIER: US 5714227 A

TITLE: Car interior member and method for producing the same

DATE-ISSUED: February 3, 1998

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Sugawara, Minoru	Ichihara			JP
Hirano, Koki	Ichihara			JP
Tada, Katsuhiko	Ichihara			JP
<u>Nakamura, Tetsuya</u>	Ichihara			JP

US-CL-CURRENT: 428/71; 264/134, 264/240, 264/257, 264/46.5, 428/120, 428/124, 428/126, 428/149, 428/161, 428/192, 428/217, 428/304.4, 428/309.9, 428/35.7

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

RVAC	Draw Desc	Image
------	-----------	-------

## 8. Document ID: US 5527581 A

L3: Entry 8 of 9

File: USPT

Jun 18, 1996

US-PAT-NC: 5527581  
DOCUMENT-IDENTIFIER: US 5527581 A

TITLE: Car interior member and molding method of the same

DATE-ISSUED: June 18, 1996

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Sugawara, Minoru	Ichihara			JP
Hirano, Koki	Ichihara			JP
Tada, Katsuhiko	Ichihara			JP
Nakamura, Tetsuya	Ichihara			JP

US-CL-CURRENT: 428/71; 264/134, 264/240, 254/257, 264/46.5, 428/120, 428/124, 428/126,  
428/159, 428/161, 428/192, 428/217, 428/304.4, 428/309.9, 428/35.7

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#)

[KWAC](#) [Draw Desc](#) [Image](#)

9. Document ID. JP 2002212349 A

L3: Entry 9 of 9

File: JPAB

Jul 31, 2002

PUB-NO: JP02002212349A  
DOCUMENT-IDENTIFIER: JP 2002212349 A  
TITLE: FLEXIBLE RESIN COMPOSITION FOR INJECTION MOLDING AND USE THEREOF

PUBN-DATE: July 31, 2002

INVENTOR-INFORMATION:

NAME	COUNTRY
MATAYOSHI, TOMOYA	
YASAKA, NAOTO	
NAKAMURA, TETSUYA	

INT-CL (IPC): C08 L 23/08; C08 J 5/00; C08 L 23/26

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#)

[KWAC](#) [Draw Desc](#) [Image](#)

[Generate Collection](#)

[Print](#)

**WEST**

[Help](#)
[Logout](#)
[Interrupt](#)
[Main Menu](#)
[Search Form](#)
[Posting Counts](#)
[Show S Numbers](#)
[Edit S Numbers](#)
[Preferences](#)
[Cases](#)

### Search Results -

Term	Documents
DENSITY DWPL,TDBD,EPAB,JPAB,USPT.	927457
DENSITIES DWPL,TDBD,EPAB,JPAB,USPT.	102666
DENSITY'S DWPL,TDBD,EPAB,JPAB,USPT.	16
(5 AND DENSITY) USPT,JPAB,EPAB,DWPL,TDBD.	1
(DENSITY AND L5) USPT,JPAB,EPAB,DWPL,TDBD.	1

US Pre-Grant Publication Full-Text Database

Database:

Search:

[Refine Search](#)

[Recall Text](#)

[Clear](#)

### Search History

DATE: Saturday, February 08, 2003    [Printable Copy](#)    [Create Case](#)

Set Name   Query  
side by side

Hit Count   Set Name  
result set

DB USPT,JPAB,EPAB,DWPL,TDBD; PLUR YES; OP=ADJ

<u>L1</u>	matayoshi-tomoya\$ in. or yasaka-naoto\$ in. or nakamura-tetsuya\$.in.	764	<u>L1</u>
<u>L2</u>	(ethylene with olefin) and L1	10	<u>L2</u>
<u>L3</u>	(elastomer or rubber or elastic) and L2	9	<u>L3</u>
<u>L4</u>	(shore or hardness) and L3	2	<u>L4</u>
<u>L5</u>	melt and L4	1	<u>L5</u>
<u>L6</u>	density and L5	1	<u>L6</u>

END OF SEARCH HISTORY

**WEST**[Generate Collection](#)[Print](#)

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 6403719 B1

L6: Entry 1 of 1

File: USPT

Jun 11, 2002

US-PAT-NO: 6403719

DOCUMENT-IDENTIFIER: US 6403719 B1

TITLE: Flexible resin composition and uses thereof

DATE-ISSUED: June 11, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Tanaka; Yasuo	Ichihara			JP
Yasaka; Naoto	Ichihara			JP

US-CL-CURRENT: 525/191; 525/240[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#)[KMC](#) [Draw Desc](#) [Image](#)[Generate Collection](#)[Print](#)

Term	Documents
DENSITY.DWPI,TDBD,EPAB,JPAB,USPT.	927457
DENSITIES.DWPI,TDBD,EPAB,JPAB,USPT.	102666
DENSITY'S.DWPI,TDBD,EPAB,JPAB,USPT.	16
(5 AND DENSITY).USPT,JPAB,EPAB,DWPI,TDBD.	1
(DENSITY AND L5).USPT,JPAB,EPAB,DWPI,TDBD.	1

**Display Format:** -[Change Format](#)[Previous Page](#)[Next Page](#)